



Application No.: 09/976519

Docket No.: SCEITO 3.0-091

REMARKS

Entry of the above-noted amendments prior to the examination of this application is respectfully requested. The amendments to the specification are for correcting typographical and/or grammatical errors found therein, and to place the specification in better form for U.S. practice. No new matter has been added by these amendments.


The amendments to the claims are solely for the purpose of clarifying the subject matter of applicant's invention, and are not for any purpose related to patentability. Applicant submits that none of the amendments to the claims are intended to narrow the scope of same, nor do they enter any new matter into the application.

If, for any reason, the Examiner believes that the entry of these amendments cannot be made at this time, it is respectfully requested that he telephone applicant's undersigned counsel at (908) 654-5000 in order to overcome any such objection the Examiner may have.

No fee is believed necessary for this amendment. However, if there are any fees to be incurred in connection herewith, the Examiner is authorized to charge Deposit Account No. 12-1095 therefor.

Dated: April 30, 2002

Respectfully submitted,

By 
Robert B. Cohen
Registration No.: 32,768
LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090
(908) 654-5000
Attorneys for Applicants

359636_1.DOC

RECEIVED

MAY 15 2002

Technology Center 2100

MARKED-UP COPY OF AMENDED CLAIMS:

1. (Amended) A virtual world system, comprising:
~~having~~

a server computer₇; ~~and~~

a plurality of terminal computers connected to ~~the~~said server computer, wherein avatars of operators of ~~the~~said terminal computers are displayed in a virtual world generated on ~~the~~said server computer, and ~~they~~ are caused to act on the basis of operations from ~~the~~said terminal computers₇
~~comprising+;~~

object offer means for offering virtual objects to ~~the~~said operators of said terminal computers;

object transmission means for transmitting ~~the~~
~~offered~~said virtual objects from said terminal computers to said server computer;

object storage means for receiving said virtual objects, and for storing ~~them~~said virtual objects in association with said operators of said terminal computers having transmitted ~~them~~said virtual objects; and

object display means for displaying ~~the~~said stored virtual objects in ~~the~~said virtual world on the basis of ~~the~~ operations of said operators.

2. (Amended) A server computer, comprising: ~~having~~

virtual world generation means for generating a virtual world, and for outputting symbols to act in ~~the~~said virtual world to participant terminals in accordance with operations from the participant terminals, ~~to the participant terminals,~~
~~comprising+;~~

an object record area ~~in which~~ for storing object data concerning objects available in said virtual world, said object data being ~~are~~ stored in conformity with a predetermined data format;

object display means for displaying ~~the~~said objects in said virtual world by reference to said object record area; and

object data acceptance means for accepting from the participants terminals ~~the~~said object data recorded in ~~the~~said predetermined data format, and for recording ~~the~~said accepted object data in said object record area.

3. (Amended) A server computer as defined in Claim 2, wherein:

said object data acceptance means records said accepted object data in said object record area in association with ~~said~~the participants terminal from which ~~pertinent to~~said object data was transmitted; and

said object display means refers to ~~the~~said recorded object data on the basis of ~~the~~ operations from the ~~associated participants terminals~~.

4. (Amended) An information processor, comprising:

game ~~offer~~means for ~~offering~~playing a game which presents a problem to a player, and which awards a virtual object to the player when ~~the~~said problem has been ~~cleared~~solved,⁺

~~the~~said virtual object ~~to be awarded having been~~being recorded in ~~said~~a predetermined data format ~~mentioned in Claim 2~~; and

transmission means for transmitting ~~the~~said awarded virtual object to ~~said~~a server computer ~~as defined in Claim 2~~operable to generate a virtual world.

5. (Amended) An information processor as ~~defined~~claimed in Claim 4, further comprising:

means for permitting ~~said~~the player to access said server computer ~~as defined in Claim 2~~, and to participate in said virtual world generated on said server computer; and

means for making said awarded virtual object available to the ~~operator-player~~ in said virtual world ~~in which he/she has participated~~.

6. (Amended) A recording medium recorded with a program for ~~causing-controlling~~ an information processor to execute a game which presents a problem to a player, and which awards a virtual object to the player when the problem has been cleared; wherein, the program comprising:

causing the information processor to execute a game which presents a problem to a player and which awards a virtual object to the player when the problem has been solved, the virtual object being the object to be awarded has been recorded in said a predetermined data format mentioned in Claim 2; and

said program causes-causing the information processor to execute a transmission process for transmitting the awarded virtual object to said a server computer operable to generate a virtual world as defined in Claim 2.

7. (Amended) A program-recording medium as defined claimed in Claim 6, wherein said program further-causing said information processor to execute comprises:

a process for permitting said the player to access said the server computer as defined in Claim 2, and to participate in said the virtual world generated on said the server computer; and

a process for making said the awarded virtual object available to the ~~operator-player~~ in said the virtual world in which he/she has participated.

8. (Amended) A recording medium recorded with a program for ~~causing-controlling~~ an information processor, to execute a process which accepts an operation from an operator, and which creates a virtual object on the basis of the

~~operation, said the program causing the information processor to execute comprising:~~

accepting operations from an operator and creating a virtual object in response to at least one of the operations;

~~a process for recording the created virtual object in conformity with said a predetermined data format as mentioned in Claim 2; and~~

~~a transmission process for transmitting the recorded virtual object to said a server computer operable to generate a virtual world as defined in Claim 2.~~

9. (Amended) A recording medium program as defined claimed in Claim 8, wherein the program further comprises:

setting an attribute is set for said the recorded virtual object which is transmitted to ~~said the~~ server computer; and

determining a mode in which the operator uses said the recorded virtual object in said the virtual world ~~is determined~~ based on the attribute.



VIRTUAL WORLD SYSTEM, SERVER COMPUTER AND INFORMATION
PROCESSOR

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] The present application claims priority from Japanese Application Nos. 2000-312113 filed October 12, 2000 and 2001-312764 filed October 10, 2001.

Technical Field

BACKGROUND OF THE INVENTION

[0002] The present invention relates to a virtual world system in which a large number of users can virtually communicate with one another by utilizing a computer network.

Background of the Invention

[0003] A virtual world system of the type in which multiple users participate, is known as one aspect of communications utilizing a computer network. This is a system wherein a virtual world is generated in a server computer, characters who are the avatars of the users are caused to appear into the virtual world, and the characters are permitted to perform various actions, such as movements and conversations, through user operations. Besides, the situations of the virtual world, the character who is a subject for the operation of each user, and the characters who are operated by the other participant users are displayed within the display screen of a terminal computer which is used by each user participating in the virtual world system, whereby the users share an identical field, and virtual communications are realized.

Disclosure of the Invention

SUMMARY OF THE INVENTION

[0004] In general, in a virtual world system of the multiple-user participation type, characters who are the avatars of users can possess

RECEIVED

MAY 15 2002

Technology Center 2100

objects in a virtual world. By way of example, the character to whom the role of a warrior is cast possesses a weapon in the virtual world, and the character to whom the role of a merchant is cast possesses an article of commerce. In this manner, diversity is given to the characters in the virtual world, whereby a virtual society full of variety can be formed.

[0005] However, the objects which the characters can possess in the virtual world have been limited to ones defined in the virtual world beforehand, and the participant users have inevitably selected from among the predefined objects, ~~the objects~~ such as items possessed by the characters who are the avatars of the users. This has caused ~~incurred~~, for example, a situation where many of the characters possess similar items. If such a restriction is ~~cleared away~~ removed so that the characters can possess items peculiar to the users, the ~~amusingness of the~~ virtual world system will become more amusing ~~increase~~, and the ~~virtual world system will become~~ more enjoyable to the users.

[0006] An object of the present invention is to provide a virtual world system in which users can use objects other than ones defined in the ~~a~~ virtual world beforehand.

[0007] In order to accomplish the object, the present invention provides a virtual world system including ~~having~~ a server computer, and a plurality of terminal computers connected to the server computer, wherein avatars of operators of the terminal computers are displayed in a virtual world generated on the server computer, and ~~they are~~ caused to act on the basis of operations from the terminal computers, ~~characterized by comprising:~~ The system further includes

——object offer means for offering virtual objects to the operators of the ~~said~~ terminal computers;_

——object transmission means for transmitting the virtual ~~offered~~ objects

from the terminal computers to the said-server computer;

——object storage means for receiving the virtual said-objects, and for storing the virtual objects them in association with the said-operators of the said-terminal computers having transmitted the virtual objectsthem; and

——object display means for displaying the stored virtual objects in the virtual world on the basis of the operations of the said-operators.

[0008] In addition~~Besides~~, the present invention provides a server computer including having—virtual world generation means for generating a virtual world, and for outputting symbols to act in the virtual world to participant terminals in accordance with operations from the participant terminals,~~to the participant terminals, characterized by comprising;~~

——an object record area for storing object in which data concerning objects available in the said-virtual world, the object data being are stored in conformity with a predetermined data format;

——object display means for displaying the objects in the said-virtual world by reference to the said-object record area; and

——object data acceptance means for accepting from the participants the object data recorded in the predetermined data format, and for recording the accepted object data in the said-object record area.

[0009] Further, the present invention provides an information processor, including characterized by comprising:

——game ~~offer~~ means for playing offering a game which presents a problem to a player, and which awards a virtual object to the player when the problem has been ~~cleared~~ solved;

——the virtual object being to be awarded having been recorded in a said predetermined data format ~~mentioned before~~; and

——transmission means for transmitting the awarded virtual object to a said server computer operable to generate a virtual world~~as defined before~~.

[0010] Still further, the present invention provides a recording medium recorded with a program for controlling an information processor, the program including causing the information processor to execute a game which presents a problem to a player and which awards a virtual object to the player when the problem has been solved, the virtual object being recorded in a predetermined data format; and causing the information processor to execute a transmission process for transmitting the awarded virtual object to a server computer operable to generate a virtual world.

[0011] The present invention also provides a recording medium recorded with a program for controlling an information processor, the program including accepting operations from an operator and creating a virtual object in response to at least one of the operations; recording the virtual object in conformity with a predetermined data format; and transmitting the recorded virtual object to a server computer operable to generate a virtual world.

[0012] Further still, the present invention provides a method of providing a virtual world in a system including a server computer and a plurality of terminal computers connected to the server computer. The method includes generating a virtual world on the server computer; offering virtual objects to operators of the terminal computers; transmitting the virtual objects from the terminal computers to the server computer in response to operations by the operators of the terminal computers; storing the transmitted virtual objects in association with the operators of the terminal computers having transmitted the virtual objects; and displaying the stored virtual objects in the virtual world based on operations by the operators of the terminal computers.

[0013] Additionally, the present invention provides a method of providing a virtual world in a system including a server computer and a plurality of terminal computers connected to the server computer, the method including generating a virtual world on the server computer; transmitting object data

regarding objects available in the virtual world from the terminal computers to the server computer in response to operations by operators of the terminal computers; storing the object data in association with the terminal computer from which the object data was transmitted, the object data being stored in conformity with a predetermined data format; and displaying the objects represented by the stored object data in the virtual world based on operations by the operators of the terminal computers.

Brief Description of the Drawings

BRIEF DESCRIPTION OF THE DRAWINGS

[0014] Fig. 1 is a block diagram for explaining the outline of the construction of an embodiment of the present invention.

[0015] Fig. 2 is a block diagram for explaining the functional architecture of a server computer.

[0016] Fig. 3 is a diagram showing an example of the format of object data which is stored in a virtual world generation database.

[0017] Fig. 4 is a block diagram for explaining the functional architecture of a terminal computer.

[0018] Fig. 5 is a flow chart for explaining the flow of processing steps in this the embodiment of Fig. 1.

~~Best Mode for Carrying Out the Invention~~

DETAILED DESCRIPTION

[0019] An embodiment of the present invention will be described in detail with reference to the drawings. In this example, there will be exemplified the mode in which a virtual world is generated on a server computer, and in which, using a terminal computer, each user plays a game permitting him/her to acquire an item and participates in the virtual world while carrying the item acquired in the game.

[0020] Fig. 1 is a block diagram showing the outline of the construction of

this embodiment. As shown in the figure, this embodiment is so constructed that a plurality of terminal computers 20a, 20b, 20c ~~are~~ are connected to a server computer 10 through a network 30 such as the Internet.

[0021] Users access the server computer 10 by using the respective terminal computers 20, whereby they can participate in a virtual world generated on the server computer 10. The virtual world is displayed on the display screens of the terminal computers 20 of the users participating in the virtual world, and also the avatars of the respective participant users are displayed as characters.

[0022] ~~Besides,~~ The actions of the character who is the avatar of each user, in the virtual world ~~is~~ are determined by ~~an~~ operations which the user has performed ~~for~~ on his/her own terminal computer 20, and the actions of the character ~~is~~ are reflected also on the display screens of the terminal computers 20 of the other users.

[0023] In this embodiment, each character in the virtual world is capable of using items, such as a car and a telephone, in the virtual world, in addition to performing ~~the~~ actions such as movement and conversation. ~~Besides~~ Also, the state of use of the item is displayed on the terminal computer 20 of the user pertinent to the character using the item, and the situation of the use is also displayed ~~also~~ on the terminal computers of the users pertinent to the other characters.

[0024] Further, in this example, not only the items predefined and available in the virtual world, but also any item acquired in a game separate from the virtual world by each user, can be utilized in the virtual world.

[0025] Fig. 2 is a block diagram for explaining the functional architecture of the server computer 10 in Fig. 1. As shown in Fig. 2, the server computer 10 ~~is built including~~ includes a virtual world control unit 101, a communication control unit 102, a virtual world generation database 103, a database for user

management 104, and a data storage area for users 105.

[0026] Incidentally, the server computer 10 can be built by employing an information processor, such as a server computer or a personal computer, which has a general architecture including a central processing unit (CPU); a main storage device; an auxiliary storage device such as a hard disk drive; a reader for reading data from a portable storage medium such as a CD-ROM or DVD-ROM; an input device such as a keyboard or mouse; a display device such as displaya monitor; a communication device for communicating with the terminal computers 20₁ etc. through the Internet; and an interface for governing data transmission/reception among the constituents mentioned above.

[0027] The virtual world control unit 101 loads object data concerning topography, buildings and the like objects in the virtual world₇ from the virtual world generation database 103₇ so as to generate the virtual world on the server computer 10, and it broadcasts the virtual world through the communication control unit 102 to the terminal computers 20 accessing this server computer 10, whereby the users of the respective terminal computers 20 are permitted to participate in the virtual world.

[0028] ~~Besides~~In addition, the virtual world control unit 101 generates data for displaying the actions₁ etc. of the characters based on the operations of the respective users₇ by employing character displaying data, item displaying data₁ etc. recorded in the virtual world generation database 103. Then, it broadcasts the generated data through the communication control unit 102 to the respective terminal computers 20 participating in the virtual world. Here, the virtual world generation database 103 is a database in which the object data concerning topography, buildings and the like objects in the virtual world, and the object data concerning the characters, items₁ etc.₁ are stored as stated above.

[0029] The object data stored in the virtual world generation database 103 can be described in a format 50 as shown in Fig. 3 by way of example.

[0030] Referring to the figure, the object data format 50 has items and values corresponding to the items, and it includes an object ID 501, an appellation 502, an attribute 503, a possessor 504, a size 505, a current position 506 and a displaying image 507 as the items.

[0031] The object ID 501 is a code for identifying the particular object. The virtual world control unit 101 manages the action, etc. of the object, for example, a character, on the basis of the code.

[0032] The appellation 502 is the appellation of the particular object. By way of example, in a case where the object is ~~the~~a character, it is possible ~~that~~for the user to gives the character his/her favorite appellation. ~~Besides~~Also, when the object is ~~the~~a building in the virtual world, it is possible that an appellation is given to the building beforehand.

[0033] The attribute 503 can be set as, for example, the character, car or building, and it expresses the category of the particular object. The property of the object in the virtual world, for example, the movability of the object or the contents of the operation which the user can perform for the object, is determined by the value of the attribute 503.

[0034] The possessor 504 expresses the possessor of the particular object. In a case where the object is ~~the~~an item such as a portable telephone, the possessor of the item can be specified, and information on the possessor is determined by this item. By way of example, when the particular object is in the possession of any specified user, a user ID to be explained later can be set as the value of the possessor 504. Of course, possessors are not specified for some objects.

[0035] The size 505 expresses the size of the particular object in the virtual world. Each object is displayed on the display devices of the terminal

computers 20 with sizes which are proportional to the value specified by the size 505.

[0036] The current position 506 expresses the current position of the particular object in the virtual world. The position of the object in the virtual world can be specified by, for example, two-dimensional or three-dimensional coordinate values. In a case where the object moves, the value of this item is updated every predetermined interval.

[0037] The displaying image 507 is image data for causing the display devices of the terminal computers 20 to display the particular object. Since the virtual world is usually displayed in three-dimensional fashion, the displaying image 507 is recorded as ~~the~~ image data having information ~~on~~ for three dimensions. Besides, in a case where the object has a movable property, data from which the images of respective states are created (for example, a state where the object is walking, and a state where the object carries something) are also recorded.

[0038] The virtual world control unit 101 loads the object data recorded in the format explained above, so as to display the particular object in the virtual world on the basis of the displaying image 507 and to determine the property of the object on the basis of the attribute.

[0039] ~~Besides~~Furthermore, insofar as object data is recorded in the foregoing format, the virtual world control unit 101 can interpret ~~even the~~ object data recorded in ~~any a~~ data storage area other than that of the virtual world database 103, and can handle it ~~likewise to in the same fashion as the~~ object data recorded in the virtual world database 103.

[0040] Incidentally, the data concerning topography, buildings and the like objects in the virtual world may well be held in the respective terminal computers 20 beforehand. In this case, a CD-ROM or the like recording medium in which the data concerning topography, buildings and the like

objects in the virtual world are recorded ~~is~~may be previously distributed to each user who is to participate in the virtual world, or the data ~~are~~may be previously broadcast to each user by utilizing a communication channel or the like, and the terminal computer 20 displays the virtual world on its display device by reference to the previously distributed data. ~~Besides~~Also, the virtual world control unit 101 may broadcasts the data concerning the characters to act in the virtual world, the items or the likes, to the terminal computers 20.

[0041] The communication control unit 102 controls the communication device, and processes various protocols required for the server computer 10 to communicate with the terminal computers 20, etc.

[0042] The database for user management 104 manages the IDs and passwords of the users who participate in the virtual world. More specifically, in this example, in order to participate in the virtual world, each user needs to enter a user registration in the server computer 10 beforehand. The virtual world control unit 101 prompts the user having accessed the server computer 10, to input his/her ID and password. Subsequently, it collates the inputted ID and password by reference to the database for user management 104, and it authorizes the authenticated user to participate in the virtual world.

[0043] The data storage area for users 105 is a storage area which is given to the users having finished the user registration. A dedicated storage area of predetermined size in the data storage area for users 105 is allotted to each user. The storage area allotted to the user can be identified with, for example, the user ID as a key.

[0044] By way of example, data concerning an item which the user has obtained in a game played through the terminal computer can be recorded in the data storage area for users 105. If the format of the data concerning the item conforms to the object data format 50 explained ~~before~~above, the virtual

world control unit 101 can cause this item to appear in the virtual world, by reference to the data recorded in the data storage area for users 105.

[0045] Fig. 4 is a block diagram for explaining the functional architecture of the terminal computer 20 in Fig. 1. As shown in Fig. 4, the terminal computer 20 ~~is built including~~ includes a game control unit 201, a virtual world participation control unit 202, a communication control unit 203, an input control unit 204, a display control unit 205, and an object database for a game 206.

[0046] Incidentally, the terminal computer 10 can be built by employing an information processor, such as a personal computer or an entertainment apparatus, which has a general architecture including a central processing unit (CPU); a main storage device; an external storage device such as a hard disk drive; a reader for reading data from a portable storage medium such as a CD-ROM or DVD-ROM; an input device such as a controller, keyboard or mouse; a display device such as display a monitor; a communication device for communicating with the server computers 10, etc. through the Internet; and an interface for governing data transmission/reception among the constituents mentioned above.

[0047] The game control unit 201 is implemented in such a way that a game program stored in the portable storage medium, such as a CD-ROM or DVD-ROM, a game program obtained through the communication device, or the like is loaded into the main storage device, and ~~that the~~ CPU runs the program.

[0048] The game which is offered by the game control unit 201 need not be associated with the virtual world generated on the server computer 10, but it can be executed on the terminal computer 20 independently. Besides, the genre and contents of the game are as desired.

[0049] In this example, the game offered by the game control unit 201 is

assumed to be a racing game. The user operates the input device, such as a controller, ~~thereby to operate a racing car to be operated~~ displayed on a display screen and to play a race.

[0050] The racing car or the like object which appears in the racing game is displayed on the display screen of the display device through the display control unit 205 in such a way that the game control unit 201 loads object data ~~recorded in~~ from the object database for a game 206.

[0051] Here, the object data ~~of~~ in the object database for a game 206 are data stored in the portable storage medium, such as the CD-ROM or DVD-ROM, or data stored in the storage device, such as a hard disk. The game control unit 201 loads the data and causes the display device to display them through the display control unit 205 as may be needed.

[0052] ~~Besides,~~ Some or all of the object data recorded in the object database for a game 206 are recorded in conformity with the object data format 50 of the virtual world as exemplified in Fig. 3.

[0053] The virtual world participation control unit 202 is implemented in such a way that a program stored in the portable storage medium, such as the CD-ROM or DVD-ROM, a program obtained through the communication device, or the like is loaded into the main storage device, and ~~that the CPU~~ runs the program.

[0054] The virtual world participation control unit 202 communicates with the virtual world control unit 101 of the server computer 10 through the communication control unit 203, and it receives data for generating the virtual world and causes the display device of the terminal computer 20 to display the image of the virtual world through the display control unit 205, while it transmits the operations ~~contents of the user~~ accepted requested through the input control unit 204, to the virtual world control unit 101.

[0055] The communication control unit 203 controls the communication

device, and processes various protocols required for the terminal computer 20 to communicate with the server computers 10, etc.

[0056] The input control unit 204 has the interface function of accepting the operations of the user through the input device, such as a controller or keyboard, and transferring the operation contents to the game control unit 201 as well as the virtual world participation control unit 202.

[0057] The display control unit 205 generates display screen data by subjecting the screen data delivered from the game control unit 201 as well as the virtual world participation control unit 202, to a composition process, etc. The generated display screen data are outputted to the display device, and the display device having received the data displays an image on the display screen in accordance with the display screen data.

Next, the processing steps of this embodiment will be described with reference to

[0058] ~~Fig. 5 is a flow chart for explaining the flow of the processing steps of this embodiment.~~

[0059] The user having ~~finished~~ completed the user registration for the virtual world ~~of~~ with the server computer 10 plays the game by using the terminal computer 20 (S101). ~~Here, the~~ As above, a racing game will be ~~exemplified as explained before~~ used as an example of the game.

[0060] In this game, when the user has fulfilled a predetermined condition, for example, becoming ~~the top,~~ coming in first in a race imposed in the racing game, he/she is ~~decided as determined to~~ having cleared the race (S102), and an original racing car is given to the user (S103). ~~Then, the~~ The user is then permitted to use the racing car in subsequent races.

Object data concerning the racing car is stored in the object database for a game 206 beforehand, and the game control unit 201 brings the object data into a status available to the user, on condition that the user has ~~cleared~~

solved the race.

[0061] ~~Besides,~~ ~~t~~The object data is recorded in conformity with the predetermined object data format 50 which the virtual world control unit 101 can interpret. However, it may ~~well~~ be recorded in any format which is alterable to the object data format 50.

[0062] In a case where the user wants to bring the acquired racing car to the virtual world (S104), he/she accesses the server computer 10 by utilizing the virtual world participation control unit 202. Subsequently, the user participates in the virtual world by inputting his/her user ID and password in a log-in step (S105).

[0063] Thereafter, the user saves the object data concerning the obtained racing car, in his/her own area of the data storage area for users 105 (S106, S107). By way of example, the user can save the object data in his/her own area of the data storage area for users 105 in such a way that a command menu for object transmission is prepared in the virtual world participation control unit 202 beforehand, and such that the user selects the menu and designates an object to-be-transmitted. By the way, in a case where the racing car is recorded in ~~the~~ a format alterable to the object data format 50 as explained ~~before~~ above, the object data has its format converted into the object data format 50 before being saved in the data storage area for users 105.

[0064] On this occasion, the attribute 503 is set to be a car, and the possessor 504 is set to be the user recorded in the area for users 105. ~~Besides~~ Also, image data recorded in the object database for a game 206 in the racing game is recorded in the displaying image 507.

[0065] Then, the virtual world control unit 101 can interpret the object data recorded in the data storage ~~data~~ area for users 105, and cause the object to appear in the virtual world (S108). A display image at this time can be generated by reference to ~~that~~ the displaying image 507 of the object data

concerning the racing car which is recorded as stated above. Thus, the image of the racing car can be displayed ~~also~~ on the terminal computers 10 of the other users. ~~Besides~~Furthermore, the virtual world control unit 101 recognizes that the object is ~~the~~a car, by reference to the attribute, and it implements the function of the car in the virtual world. ~~Concretely, t~~The car can travel in the virtual world while carrying the character of the user, on the basis of the user operation. ~~Further, s~~Since the possessor is specified, any user other than the pertinent user having acquired the racing car in the game can be prevented from operating the car.

[0066] In this way, the users are permitted to use in the virtual world, ~~even~~ objects which ~~are~~ other than those objects defined in the virtual world beforehand.

[0067] Incidentally, the present invention is not restricted to the embodiment described above, but it is capable of various modifications within the scope of the subject matter thereof.

[0068] By way of example, although ~~the~~an example has been described ~~as to~~for the ~~example~~case in which ~~each~~a user brings ~~the~~an item acquired in the game, to the virtual world, it is also allowed that the user creates an ~~item~~ object conforming to the object data format of the virtual world by himself/herself by utilizing, for example, item creating application software, and that he/she transmits the ~~item~~created object to the server computer 10 so as to save it in the data storage area for users 105. In this ~~case~~manner, the original items of the respective users can be brought to the virtual world.

[0069] Moreover, the objects which are brought to the virtual world are not restricted to items, but characters themselves may ~~well~~ be brought to the virtual world as well. By way of example, ~~it is also allowed that the game to~~ be executed on the terminal computer 10 ~~is~~may be a role-playing game, and ~~that, when the game is cleared~~ solved, the object data of the character who is

in charge of the user can be saved in the data storage area for users 105 of the server computer 10.

[0070] As described above, according to the present invention, users are permitted to use in a virtual world, objects which are other than objects defined in the virtual world beforehand.

FIG. 1:

—— (1) —— USER

—— 10 —— SERVER COMPUTER

—— 20a, 20b, 20c —— TERMINAL COMPUTER

—— 30 —— COMPUTER NETWORK

FIG. 2:

—— (1) —— COMPUTER NETWORK

—— 101 —— VIRTUAL WORLD CONTROL UNIT

—— 102 —— COMMUNICATION CONTROL UNIT

—— 103 —— VIRTUAL WORLD GENERATION DATABASE

—— 104 —— DATABASE FOR USER MANAGEMENT

—— 105 —— DATA STORAGE AREA FOR USERS

FIG. 3:

—— (1) —— ITEM

—— (2) —— VALUE

—— 50 —— OBJECT DATA FORMAT

—— 501 —— OBJECT ID

—— 502 —— APPELLATION

—— 503 —— ATTRIBUTE

—— 504 —— POSSESSOR

—— 505 —— SIZE

—— 506 —— CURRENT POSITION

—— 507 —— DISPLAYING IMAGE

FIG. 4:

- (1) — CONTROLLER
- (2) — DISPLAY DEVICE
- (3) — COMPUTER NETWORK

- 201 — GAME CONTROL UNIT
- 202 — VIRTUAL WORLD PARTICIPATION CONTROL UNIT
- 203 — COMMUNICATION CONTROL UNIT
- 204 — INPUT CONTROL UNIT
- 205 — DISPLAY CONTROL UNIT
- 206 — OBJECT DATABASE FOR GAME

FIG. 5:

- S101 — EXECUTION OF GAME
- S102 — HAS GAME BEEN CLEARED?
- S103 — ACQUISITION OF ITEM
- S104 — DOES USER PARTICIPATE IN VIRTUAL WORLD?
- S105 — LOG IN
- S106 — TRANSMISSION OF OBJECT DATA
- S107 — SAVING OF OBJECT DATA
- S108 — MAKING OBJECT DATA AVAILABLE